

Tops Program



Shapes




Rectangle

Depth 20 - 60"
Width 24 - 96"




Radius

Depth 30 - 60"
Width 30 - 96"



Extended Corner

Depth 24 - 60"
Width 39 - 96"



Round

Diameter 24 - 60"

Material and Edge Options

TFL and HPL

HPL on MDF

HPL on Ply



2mm Edgebanding



Square MDF, 1/2" corner



Square Ply, 1/2" corner



Knife MDF, 1/2" corner



Knife Ply, 1/2" corner



Taper MDF, 1" corner



Taper Ply, 1" corner



Knife Banded MDF

Details

- Leadtimes for TFL tops are 3 business days, all others 7 business days
- Orders below \$220 Net will always be invoiced to an order minimum of \$220 Net.
- 2mm edgebands are color matched to the surface finish unless otherwise specified
- Project level pricing available for larger orders, contact customer service for details.

Options

Grommets



2 1/2" round grommets are \$55 List Price each. Choose Black, White, Silver. Specify quantity and location(s) per top

Anti-Sag



Surface supports for spans greater than 42" are available. Please specify and add + \$220 List Price per support

TFL Finishes



Graphite Elm



Oxidized Beamwood



Macchiato Walnut



River Cherry



Absolute Acajou



Natural Ash



Landmark Wood




Hardrock Maple



Kensington Maple




Pencil Wood




Florence Walnut



Sterling Ash



Folkstone



White



White Ash



Blackened Steel



Black



Storm

Leg Options



Aluminum
Double Column



Aluminum
T-Base



Aluminum
X-Base



Aluminum Arch
X-Base



Pedestal
Disk Base



Square
Base



Dual Column
Base



Single Column
Base



Parsons Frame
Bar Height




Parsons Frame
Counter Height



Parsons Frame
Standard Height

Rectangles



Prices are List


Model	Depth	Width	TFL	HPL	HPL MDF	HPL Ply
T2024	20	24	155	185	260	290
T2030	20	30	155	235	310	340
T2036	20	36	180	235	310	435
T2042	20	42	210	280	380	435
T2048	20	48	230	280	380	435
T2054	20	54	230	365	490	735
T2060	20	60	230	365	490	735
T2066	20	66	340	365	490	735
T2072	20	72	340	365	490	735
T2078	20	78	340	515	690	735
T2084	20	84	340	515	690	735
T2090	20	90	340	515	690	735
T2096	20	96	340	530	690	735
T2424	24	24	180	235	310	290
T2430	24	30	180	290	395	340
T2436	24	36	210	290	405	435
T2442	24	42	275	355	490	495
T2448	24	48	275	365	490	495
T2454	24	54	285	485	655	735
T2460	24	60	310	485	655	735
T2466	24	66	435	485	655	735
T2472	24	72	435	485	655	735
T2478	24	78	435	515	680	735
T2484	24	84	450	515	680	735
T2490	24	90	450	515	680	735
T2496	24	96	450	530	680	735
T3030	30	30	230	290	405	545
T3036	30	36	255	290	405	735
T3042	30	42	285	365	490	735
T3048	30	48	300	445	490	735
T3054	30	54	300	515	655	1335
T3060	30	60	340	515	655	1335
T3066	30	66	435	515	655	1335

Prices are List

Model	Depth	Width	TFL	HPL	HPL MDF	HPL Ply
T3072	30	72	435	560	655	1335
T3078	30	78	450	850	1155	1335
T3084	30	84	450	850	1155	1335
T3090	30	90	450	860	1155	1335
T3096	30	96	450	860	1155	1335
T3636	36	36	285	485	680	735
T3642	36	42	400	595	690	735
T3648	36	48	425	595	690	735
T3654	36	54	435	850	1220	1335
T3660	36	60	435	850	1220	1335
T3666	36	66	535	850	1220	1335
T3672	36	72	535	850	1220	1335
T3678	36	78	535	905	1220	1335
T3684	36	84	535	905	1220	1335
T3690	36	90	535	905	1220	1335
T3696	36	96	535	905	1220	1335
T4848	48	48	435	615	690	735
T4860	48	60	450	850	1220	1335
T4872	48	72	765	860	1220	1335
T4884	48	84	775	905	1220	1335
T4896	48	96	775	905	1220	1335
T6060	60	60	450	860	875	---
T6072	60	72	775	860	875	---
T6084	60	84	775	1575	1595	---
T6096	60	96	775	1590	1655	---

Radius

Radius tops have a 6" radius at each corner



Prices are List

Model	Depth	Width	TFL	HPL	HPL MDF	HPL Ply
RR3030	30	30	290	390	405	545
RR3036	30	36	300	390	405	735
RR3042	30	42	330	425	490	735
RR3048	30	48	340	425	490	735
RR3054	30	54	340	540	655	1335
RR3060	30	60	420	540	655	1335
RR3066	30	66	500	540	655	1335
RR3072	30	72	500	550	655	1335
RR3078	30	78	510	905	1155	1335
RR3084	30	84	510	905	1155	1335
RR3090	30	90	510	915	1155	1335
RR3096	30	96	510	915	1155	1335
RR3636	36	36	375	540	680	735
RR3642	36	42	500	660	690	735
RR3648	36	48	500	660	690	735
RR3654	36	54	500	905	1220	1335
RR3660	36	60	500	905	1220	1335
RR3666	36	66	595	905	1220	1335


Prices are List

Model	Depth	Width	TFL	HPL	HPL MDF	HPL Ply
RR3672	36	72	595	905	1220	1335
RR3684	36	84	595	965	1220	1335
RR3690	36	90	595	965	1220	1335
RR3696	36	96	595	965	1220	1335
RR4848	48	48	500	675	680	735
RR4860	48	60	510	905	1220	1335
RR4872	48	72	815	915	1220	1335
RR4884	48	84	825	965	1220	1335
RR4896	48	96	825	965	1220	1335
RR6060	60	60	510	915	1155	---
RR6072	60	72	960	915	1155	---
RR6084	60	84	960	1640	2170	---
RR6096	60	96	960	1655	2170	---

Rounds


Prices are List

Model	Diameter	TFL	HPL	HPL MDF	HPL Ply
RT24	24	285	485	485	540
RT30	30	410	550	550	595
RT36	36	500	730	735	785
RT42	42	550	675	735	785
RT48	48	655	685	735	785
RT54	54	655	785	1155	---
RT60	60	655	785	1155	---



Extended Corners

Choose left or right handed. Right hand shown



Model	Depth	Width	TFL	Prices are List	
				HPL	HPL MDF
EC3648	36	48	560	745	930
EC3660	36	60	630	765	930
EC3672	36	72	675	775	1010
EC3684	36	84	1010	1115	1325
EC3696	36	96	1010	1115	1335
EC4848	48	48	570	755	930
EC4860	48	60	640	785	1010
EC4872	48	72	700	1115	1125
EC4884	48	84	1010	1115	1335
EC4896	48	96	1010	1115	1345
EC6060	60	60	700	1115	1115
EC6072	60	72	1010	1115	1125
EC6084	60	84	1010	1115	1335
EC6096	60	96	1135	1240	1345

Materials and Construction

- TFL surfaces are 1 1/8" thickness with 45lb Industrial Particle Board cores. All cores have a minimum L2 TSCA Title-VI Certification. TFL's are regionally sourced from mills in Washington and Oregon. TFL surfaces are edged with 2mm polymer edgeband that is thermally fused with a durable EVA adhesive.
- 1 1/8" thickness HPL surfaces with 2mm edge banding utilize 1" thick 45lb Industrial Particle Board cores and have a minimum L2 TSCA Title-VI Certification. Laminate is Post-Form or Horizontal grade thickness. HPL surfaces are balanced with brown backing sheets to maximize flatness. Laminate and backing sheets are bonded using Wilsonart 3100 PVA ultra-low VOC adhesive.
- 1 1/8" HPL surfaces with profiled MDF edges utilize 1" thick 45lb MDF and have a minimum L2 TSCA Title-VI Certification. All MDF is regionally sourced from mills located in Oregon or Alberta. The laminate is Post-Form or Horizontal grade thickness depending upon manufacturer. HPL surfaces are bonded and balanced with brown backing sheets to maximize flatness. Laminate is bonded to core with a 3100 PVA ultra-low VOC adhesive. The exposed profiled edges are sanded and sealed with a water based low VOC clear finish.
- 1 1/8" HPL surfaces with profiled Ply edges utilize 1" thick premium multiplex birch veneer plywood cores that are L2 TSCA Title-VI Certified. The laminate is Post-Form or Horizontal grade thickness. All HPL surfaces are balanced with brown backing sheets to maximize flatness. Laminate and backing sheets are bonded using Wilsonart 3100 PVA ultra-low VOC adhesive. The profiled edges are sanded and sealed with a water based VOC clear finish.

Adjustable Height Base Pricing

2-Leg Bases

Quantity	List PRICE
1 – 10 Units	\$1540
11 – 99 Units	\$1400
100+ Units	\$1280

3-Leg Bases

Quantity	List PRICE
1 – 10 Units	\$2470
11 – 99 Units	\$2330
100+ Units	\$2160

PLEASE SPECIFY 24" OR 30" SURFACE DEPTH WHEN ORDERING

FEATURES

- manufactured to BIFMA standards
- 5 Year motor & electrical warranty
- Adjustment speed of 1.5" per second
- Anti-collision technology
- Height Range 24"-50"
- Noise level of <50 db
- Load capacity of 200 lbs.
- Lifetime frame warranty

PRODUCTS, MATERIALS AND FINISHES

- Accessories: Available with an Acrylic Modesty Panel, power module mounted above the surface or below, under surface wire management, and a surface grommet.
- Base: Silver in stock, other colors available upon request.

